ELSEVIER

Physica C 294 (1998) 327–329

PHYSICA C

Author Index to Volume 294

Abe, Y., T. Harada, K. Nakaya and M. Nogami, Fast flowing and formation of superconducting $Bi_2Sr_2Ca_1Cu_2O_x$ layers on metallic copper wires and plates, **294** (1998) 83
Ajay, see Pratap, A., **294** (1998) 270
Altenburg, H., see Wiesner, U., **294** (1998) 17
Andersen, N.H., see Iversen, M.H., **294** (1998) 169
Aouaroun, T., V. Hardy and Ch. Simon, Plastic vortex creep in the high-T_c superconductor $(Tl_{2/3},Bi_{1/3})Sr_2CaCu_2O_x$, **294** (1998) 42

Ban, T., see Nakamura, Y., **294** (1998) 302
Biegel, W., see Kuhn, M., **294** (1998) 1
Browning, N.D., J.P. Buban, P.D. Nellist, D.P. Norton, M.F. Chisholm and S.J. Pennycook, The atomic origins of reduced critical currents at [001] tilt grain boundaries in $YBa_2Cu_3O_{7-\delta}$ thin films, **294** (1998) 183
Buban, J.P., see Browning, N.D., **294** (1998) 183
Buffeteau, B., T. Hargreaves, B. Grevin and C. Marin, Oxygen dependence on superconducting properties of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ ceramic and crystal samples, **294** (1998) 55
Buhl, D., see Lang, Th., **294** (1998) 7
Buzdin, A. and M. Daumens, Electromagnetic pinning of vortices on different types of defects, **294** (1998) 257

Cao, Y., see Xue, Y.Y., **294** (1998) 316
Chen, L.J., see Huang, Y.T., **294** (1998) 140
Chen, W.M., see Wu, X.S., **294** (1998) 122
Chisholm, M.F., see Browning, N.D., **294** (1998) 183
Chu, C.W., see Xue, Y.Y., **294** (1998) 316
Coulter, J.Y., see Holesinger, T.G., **294** (1998) 161

Das, A.N., J. Lahiri and S. Sil, Superconducting gap ratio and isotope-shift exponent in a pair-tunneling model, **294** (1998) 97
Daumens, M., see Buzdin, A., **294** (1998) 257
Demir, K., see Kiliç, A., **294** (1998) 203
Dennis, K.W., see Xu, Y., **294** (1998) 194
Desgardin, G., see Marinel, S., **294** (1998) 129
Dew-Hughes, D., see Huang, S.-L., **294** (1998) 33
Dou, S.X., see Li, S., **294** (1998) 105
Du, Z.L., see Xue, Y.Y., **294** (1998) 316

Eisenmenger, J., see Kuhn, M., **294** (1998) 1

Ferdeghini, C., E. Giannini, G. Grassano, D. Marré, I. Pallecchi and A.S. Siri, Magnetic flux penetration and current density in superconducting thin films, **294** (1998) 233
Flükiger, R., see Huang, Y.B., **294** (1998) 71
Fogelström, M., S. Yip and J. Kurkijärvi, Pinhole junctions in *d*-wave superconductors, **294** (1998) 289
Fujimoto, H., see Nakamura, Y., **294** (1998) 302

Gao, L., see Xue, Y.Y., **294** (1998) 316
Gao, W., see Li, S., **294** (1998) 105
Gauckler, L.J., see Lang, Th., **294** (1998) 7
Genoud, J.-Y., see Junod, A., **294** (1998) 115
Ghosh, P.K., see Krishna, N.M., **294** (1998) 243
Giannini, E., see Ferdeghini, C., **294** (1998) 233
Grassano, G., see Ferdeghini, C., **294** (1998) 233
Grevin, B., see Buffeteau, B., **294** (1998) 55
Gritzner, G., see König, W.T., **294** (1998) 225
Gu, G.D., see Miles, P.A., **294** (1998) 275

Harada, T., see Abe, Y., **294** (1998) 83
Hardy, V., see Aouaroun, T., **294** (1998) 42
Hargreaves, T., see Buffeteau, B., **294** (1998) 55
Hickey, B., see Xue, Y.Y., **294** (1998) 316
Hiratani, M., Y. Tarutani and K. Takagi, Lattice bending appearing in transmission electron microscope view: the strain release in the heteroepitaxial structure of the $HoBa_2Cu_3O_y/PrBa_2Cu_3O_y/SrTiO_3(110)$ substrate, **294** (1998) 90
Holesinger, T.G., J.O. Willis, M.C. Martinez and J.Y. Coulter, Texture development in $Bi_2Sr_2CaCu_2O_y$ current leads, **294** (1998) 161
Hong, G.-W., see Kim, W.-J., **294** (1998) 147
Hu, Q.Y., see Li, S., **294** (1998) 105
Huang, S.-L. and D. Dew-Hughes, Non-uniform partial melting and effect of oxide/Ag contact on partial melting behavior in Bi-2212/silver tapes, **294** (1998) 33
Huang, Y.B. and R. Flükiger, Reducing ac losses of Bi(2223) multifilamentary tapes by oxide barriers, **294** (1998) 71
Huang, Y.T., D.S. Shy and L.J. Chen, Phase evolution of co-precipitated Bi–Pb–Sr–Ca–Cu–O powder, **294** (1998) 140
Hüsser, P., E. Stoll, H.U. Suter and P.F. Meier, First-principles calculation of electric field gradients at the Cu sites in $YBa_2Cu_3O_7$, **294** (1998) 217

Iversen, M.H., J.-E. Jørgensen and N.H. Andersen, Charge localization in oxidized $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ studied by electron and neutron powder diffraction, **294** (1998) 169

Jiang, S.S., see Wu, X.S., **294** (1998) 122
Jin, X., see Wu, X.S., **294** (1998) 122
Jørgensen, J.-E., see Iversen, M.H., **294** (1998) 169
Junod, A., J.-Y. Genoud, G. Triscone and T. Schneider, Crossing point of the magnetisation in high-temperature superconductors, **294** (1998) 115

Kane, J., K.-W. Ng and D. Moecher, Effects of lead doping on T_c and energy gap of $Bi_2Sr_2CaCu_2O_8$ by tunneling spectroscopy, **294** (1998) 176
Kato, S., see Nakamura, Y., **294** (1998) 302
Kennedy, S.J., see Miles, P.A., **294** (1998) 275
Kiliç, A., K. Kiliç, S. Senoussi and K. Demir, Influence of an external magnetic field on the current–voltage characteristics and transport critical current density, **294** (1998) 203
Kiliç, K., see Kiliç, A., **294** (1998) 203
Kim, W.-J., S.-C. Kwon, H.J. Lee, H.-G. Lee, G.-W. Hong and I.-H. Kuk, Mechanical grinding of precursor powder and its effect on the microstructure and critical current density of Ag/Bi-2223 tapes, **294** (1998) 147
Klarmann, R., see Kuhn, M., **294** (1998) 1
König, W.T. and G. Gritzner, Microstructure and properties of textured bulk phase Tl(Bi)-1223 superconductors, **294** (1998) 225
Koshizuka, N., see Miles, P.A., **294** (1998) 275
Krabbes, G., see Wiesner, U., **294** (1998) 17
Kramer, M.J., see Xu, Y., **294** (1998) 194
Krishna, N.M., L.S. Lingam, P.K. Ghosh and K.N. Shrivastava, Effect of current-loop sizes on the para-Meissner effect in superconductors, **294** (1998) 243
Krzysztoń, T., Intrinsic pinning in layered antiferromagnetic superconductor, **294** (1998) 47
Kuhn, M., B. Schey, R. Klarmann, W. Biegel, B. Stritzker, J. Eisenmenger and P. Leiderer, Patterning of YBCO thin films by ion implantation and magneto-optical investigations, **294** (1998) 1
Kuk, I.-H., see Kim, W.-J., **294** (1998) 147
Kurkijärvi, J., see Fogelström, M., **294** (1998) 289
Kwon, S.-C., see Kim, W.-J., **294** (1998) 147

Lacaze, E., see Maréchal, C., **294** (1998) 23
Lahiri, J., see Das, A.N., **294** (1998) 97
Lang, Th., D. Buhl and L.J. Gauckler, Influence of the maximum temperature during partial melt-processing of Bi-2212 thick films on microstructure and j_c, **294** (1998) 7
Lee, H.-G., see Kim, W.-J., **294** (1998) 147
Lee, H.J., see Kim, W.-J., **294** (1998) 147
Leiderer, P., see Kuhn, M., **294** (1998) 1
Li, S., J.C. Zhao, Q.Y. Hu, H.K. Liu, S.X. Dou and W. Gao, Lattice distortion measurement of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ oxide in silver clad wires with mechanical deformation, **294** (1998) 105
Lin, Z.S., see Wu, X.S., **294** (1998) 122
Lingam, L.S., see Krishna, N.M., **294** (1998) 243
Liu, H.K., see Li, S., **294** (1998) 105

Magerkurth, C., see Wiesner, U., **294** (1998) 17
Mao, Z.Q., see Wu, X.S., **294** (1998) 122
Maréchal, C., E. Lacaze, W. Seiler and J. Perrière, Growth mechanisms of laser deposited BiSrCaCuO films on MgO substrates, **294** (1998) 23
Marin, C., see Buffeteau, B., **294** (1998) 55
Marinel, S., J. Provost and G. Desgardin, The crystal growth anisotropy of $YBa_2Cu_3O_{7-\delta}$ fabricated by the MTG method in a microwave cavity, **294** (1998) 129
Marré, D., see Ferdeghini, C., **294** (1998) 233
Martinez, M.C., see Holesinger, T.G., **294** (1998) 161
McCallum, R.W., see Xu, Y., **294** (1998) 194
McIntyre, G.J., see Miles, P.A., **294** (1998) 275
Meier, P.F., see Hüsser, P., **294** (1998) 217
Miles, P.A., S.J. Kennedy, G.J. McIntyre, G.D. Gu, G.J. Russell and N. Koshizuka, Refinement of the incommensurate structure of high quality Bi-2212 single crystals from a neutron diffraction study, **294** (1998) 275
Moecher, D., see Kane, J., **294** (1998) 176
Moodenbaugh, A.R., see Xu, Y., **294** (1998) 194

Nakamura, Y., K. Tachibana, S. Kato, T. Ban, S.I. Yoo and H. Fujimoto, Phase relation in Y211–Y123–Ag system and morphology of silver in Y123 crystal, **294** (1998) 302
Nakaya, K., see Abe, Y., **294** (1998) 83
Nellist, P.D., see Browning, N.D., **294** (1998) 183
Ng, K.-W., see Kane, J., **294** (1998) 176
Nogami, M., see Abe, Y., **294** (1998) 83
Norton, D.P., see Browning, N.D., **294** (1998) 183

Pallecchi, I., see Ferdeghini, C., **294** (1998) 233
Pennycook, S.J., see Browning, N.D., **294** (1998) 183
Perrière, J., see Maréchal, C., **294** (1998) 23
Plewa, J., see Wiesner, U., **294** (1998) 17
Pratap, A., Ajay and R.S. Tripathi, Spin wave contribution to the thermal expansion of high-T_c cuprate superconductors, **294** (1998) 270
Provost, J., see Marinel, S., **294** (1998) 129

Ross, D.K., see Xue, Y.Y., **294** (1998) 316
Rusakova, I., see Xue, Y.Y., **294** (1998) 316
Russell, G.J., see Miles, P.A., **294** (1998) 275

Schey, B., see Kuhn, M., **294** (1998) 1
Schneider, T., see Junod, A., **294** (1998) 115
Schwichtenberg, C.R., see Xu, Y., **294** (1998) 194
Seiler, W., see Maréchal, C., **294** (1998) 23
Senoussi, S., see Kiliç, A., **294** (1998) 203
Shrivastava, K.N., see Krishna, N.M., **294** (1998) 243
Shy, D.S., see Huang, Y.T., **294** (1998) 140
Sil, S., see Das, A.N., **294** (1998) 97
Simon, Ch., see Aouaroun, T., **294** (1998) 42
Singh, S., Suppression of superconductivity in Sm and Co substituted $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ system, **294** (1998) 249
Siri, A.S., see Ferdeghini, C., **294** (1998) 233
Stoll, E., see Hüsser, P., **294** (1998) 217
Stritzker, B., see Kuhn, M., **294** (1998) 1

Sun, Y.Y., see Xue, Y.Y., **294** (1998) 316
Suter, H.U., see Hüsser, P., **294** (1998) 217

Tachibana, K., see Nakamura, Y., **294** (1998) 302
Takagi, K., see Hiratani, M., **294** (1998) 90
Tarutani, Y., see Hiratani, M., **294** (1998) 90
Tripathi, R.S., see Pratap, A., **294** (1998) 270
Triscone, G., see Junod, A., **294** (1998) 115

Ueltzen, M., see Wiesner, U., **294** (1998) 17

Wiesner, U., G. Krabbes, M. Ueltzen, C. Magerkurth, J. Plewa and H. Altenburg, The influence of Ag on univariant reactions and the oxygen content of the eutectic melt in the Y–Ba–Cu–(Ag)–O system, **294** (1998) 17
Willis, J.O., see Holesinger, T.G., **294** (1998) 161
Wu, N.L., see Xue, Y.Y., **294** (1998) 316
Wu, X.S., S.S. Jiang, W.M. Chen, Z.S. Lin, X. Jin, Z.Q. Mao, G.J. Xu and Y.H. Zhang, Microstrains in $La_{1.85}Sr_{0.15}Cu_{1-y}M_yO_4$ (M = Zn, Ni, Mg) cuprates with $y \leq 0.30$, **294** (1998) 122
Wurnig, J., see Xu, Y., **294** (1998) 194

Xu, G.J., see Wu, X.S., **294** (1998) 122
Xu, Y., J. Wurnig, M.J. Kramer, K.W. Dennis, R.W. McCallum, C.R. Schwichtenberg and A.R. Moodenbaugh, Superconductivity in reduced and then reoxidized $Nd_{1.05}Ba_{1.95}(Cu_{1-x}Fe_x)_3O_{7-\delta}$, **294** (1998) 194
Xue, Y.Y., Y.Y. Sun, I. Rusakova, D.K. Ross, Z.L. Du, N.L. Wu, Y. Cao, L. Gao, B. Hickey and C.W. Chu, Phase identification of the new 126 K Ba–Ca–Cu–O superconductor, **294** (1998) 316

Yip, S., see Fogelström, M., **294** (1998) 289
Yoo, S.I., see Nakamura, Y., **294** (1998) 302

Zhang, Y.H., see Wu, X.S., **294** (1998) 122
Zhao, J.C., see Li, S., **294** (1998) 105

ELSEVIER

Physica C 294 (1998) 330–331

PHYSICA C

Analytic Subject Index to Volume 294

AC losses
–in Bi(2223) tapes 71
AFM
–on $Bi_2Sr_2Ca_1Cu_2O_y$ thin films 23
Activation energy 47
–in $(Tl_{2/3},Bi_{1/3})Sr_2CaCu_2O_x$ crystals 42
Amorphisation
–in Ag/Bi-2223 tapes 147
Antiferromagnetic order 47
Applications of high-T_c superconductors 1
Atomic structure 183
Average lattice microstrain
–of $La_{1.85}Sr_{0.15}Cu_{1-y}M_yO_4$ 122

Bi-2212/Ag interface 33

Calculation of thermal expansion
–of $YBa_2Cu_3O_7$ 270
Charge localization
–in $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 169
Co-precipitation
–of Bi-Pb-Sr-Ca-Cu-O 140
Critical current density 203, 233
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes 105
–of Ag/Bi-2223 tapes 147
–of Bi(2223) tapes 71
–of $Bi_2Sr_2CaCu_2O_x$ thin films 7
–of $Tl_{n-x}Bi_xBa_{0.2}Sr_{1.8}Ca_2Cu_3O_y$ 225
–of $Tl_{n-0.25}Bi_{0.25}Ba_{0.4}Sr_{1.6}Ca_2Cu_3O_y$ 225
Critical current 183
–of $Bi_2Sr_2CaCu_2O_y$ films 161
Critical phenomena 115
Current leads
–of $Bi_2Sr_2CaCu_2O_y$ 161
Current-loop sizes 243

D-wave superconductor 289
D-wave superconductors 55
Decomposition behaviour
–of $YBa_2Cu_3O_{7-\delta}$ 17
Density functional method 217
Doping
–in $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 249

EELS
–on $Nd_{1.05}Ba_{1.95}(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 194
Electrical resistivity
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 249
Electromagnetic pinning 257
Electron diffraction
–on $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 169
Electron exchange correlation
–in $YBa_2Cu_3O_7$ 217
Electronic structure 183
–of $YBa_2Cu_3O_7$ 217
Electrophoretic deposition
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$/Ag tapes 33
Energy gap
–in $Bi_2Sr_2CaCu_2O_8$ 176
Epitaxial orientation
–of $Bi_2Sr_2Ca_1Cu_2O_y$ thin films 23

Field dependence 203
Field profile
–on $YBa_2Cu_3O_{7-x}$ thin films 233
Fluctuation effects 115
Flux creep
–in $(Tl_{2/3},Bi_{1/3})Sr_2CaCu_2O_x$ crystals 42
Flux flow 203
Flux pinning 203, 257

Grain boundaries
–in $YBa_2Cu_3O_{7-\delta}$ thin films 183
Growth front morphology 129
Growth mode
–of $Bi_2Sr_2Ca_1Cu_2O_y$ thin films 23

Heteroepitaxy structure
–of $HoBa_2Cu_3O_y/PrBa_2Cu_3O_y/SrTiO_3$-(110) substrate 90

IV-characteristics 203
Incommensurate structure
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystal 275
Interlayer pairing 97
Intrinsic flux pinning 47
Ion implantation
–in YBCO thin films 1

Irradiation effects
–on YBCO thin films 1
Isotope effect 97

Josephson interaction 243

Kinetics
–in Bi-Pb-Sr-Ca-Cu-O 140

Laser ablation
–of $Bi_2Sr_2Ca_1Cu_2O_y$ thin films 23
Lattice distortion
–in $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes 105

Magnetic relaxation
–in $(Tl_{2/3},Bi_{1/3})Sr_2CaCu_2O_x$ crystals 42
Magnetisation 115
Magnetization
–of $(Tl_{2/3},Bi_{1/3})Sr_2CaCu_2O_x$ crystals 42
–of $Tl_2CaBa_2Cu_2O_8$ 243
Magneto-optic study
–of YBCO thin films 1
Magnetoresistance
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 249
Magnetoresistivity 203
Maximum processing temperature
–of $Bi_2Sr_2CaCu_2O_x$ thin films 7
Mechanical deformation
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{10+x}$ tapes 105
Melt processing
–of $Bi_2Sr_2CaCu_2O_y$ 161
–of Y211-Y123-Ag 302
Melt quenching
–of $Bi_2Sr_2Ca_1Cu_2O_x$ layers 83
Melt texturing
–of $YBa_2Cu_3O_{7-\delta}$ 129
Metal insulator transition
–in $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 249
Microstructure
–of Ag/Bi-2223 tapes 147
–of $Bi_2Sr_2CaCu_2O_x$ thin films 7
–of $Nd_{1.05}Ba_{1.95}(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 194
–of $Tl_{n-x}Bi_xBa_{0.2}Sr_{1.8}Ca_2Cu_3O_y$ 225
–of $Tl_{n-0.25}Bi_{0.25}Ba_{0.4}Sr_{1.6}Ca_2Cu_3O_y$ 225
–of Y211-Y123-Ag 302

Microwave cavity 129
Mixed state 233

NQR
–in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 55
Neutron diffraction
–on $Bi_2Sr_2CaCu_2O_{8+x}$ single crystal 275
–on $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 169

Oxide barrier
–in Bi(2223) tapes 71
Oxygen stoichiometry
–in $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 55
–in $Pb_2Sr_2Y_{0.5}Ca_{0.5}Cu_3O_{8+\delta}$ 169
–in $YBa_2Cu_3O_{7-\delta}$ melts 17

Pair breaking 289
Para-Meissner effect 243
Partial melt-processing
–of $Bi_2Sr_2CaCu_2O_x$ thin films 7
Partial melting
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$/Ag tapes 33
Particle size reduction
–in Ag/Bi-2223 tapes 147
Phase diagram 97
–of $La_{1.85}Sr_{0.15}Cu_{1-y}M_yO_4$ 122
Phase evolution
–in Bi-Pb-Sr-Ca-Cu-O 140
Phase relation
–in Y211-Y123-Ag 302

Room temperature resistivity
–of $La_{1.85}Sr_{0.15}Cu_{1-y}M_yO_4$ 122

S-N-S junction 90
Solubility of AG
–in $YBa_2Cu_3O_{7-\delta}$ 17
Specific heat
–of $La_{1.85}Sr_{0.15}CuO_{4-\delta}$ 55
Spin wave excitations 270
Spin wave modes 270
Strain
–in $HoBa_2Cu_3O_y/PrBa_2Cu_3O_y/SrTiO_3$-(110) substrate 90
Structure phase transition
–in $Ba_2Ca_2Cu_3(Ca_xCu_y)O_{8+\delta}$ 316
Structure
–of $Ba_2Ca_2Cu_3(Ca_xCu_y)O_{8+\delta}$ 316
–of $Ba_2Ca_2Cu_3(Ca_xCu_y)O_{8+\delta}$ 316
–of Bi-Pb-Sr-Ca-Cu-O 140
–of $Bi_2Sr_2Ca_1Cu_2O_x$ layers 83
–of $Bi_2Sr_2CaCu_2O_{8+x}$ 275
–of $Nd_{1.05}Ba_{1.95}(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 194
Substitution effects
–in $Bi_2Sr_2CaCu_2O_8$ 176
–in $Nd_{1.05}Ba_{1.95}(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 194
Superconducting junctions 289
Surface morphology
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$/Ag tapes 33

Synthesis
–of Bi(2223) tapes 71
–of $Bi_2Sr_2Ca_1Cu_2O_x$ layers 83
–of $Tl_{n-x}Bi_xBa_{0.2}Sr_{1.8}Ca_2Cu_3O_y$ 225
–of $Tl_{n-0.25}Bi_{0.25}Ba_{0.4}Sr_{1.6}Ca_2Cu_3O_y$ 225
–of $YBa_2Cu_3O_{7-\delta}$ 129

Texture development
–in $Bi_2Sr_2CaCu_2O_y$ 161
Texturing
–of $Tl_{n-x}Bi_xBa_{0.2}Sr_{1.8}Ca_2Cu_3O_y$ 225
–of $Tl_{n-0.25}Bi_{0.25}Ba_{0.4}Sr_{1.6}Ca_2Cu_3O_y$ 225
Thermal expansion 270
Thin film 23
Thin films 1, 233
Transition temperature
–of $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 249
Tunneling spectroscopy
–on $Bi_2Sr_2CaCu_2O_8$ 176

Unconventional pairing 289

Vortex interaction 257

X-ray diffraction
–on $Ba_2Ca_2Cu_3(Ca_xCu_y)O_{8+\delta}$ 316
–on $Bi_2Sr_2Ca_1Cu_2O_{8+\delta}$ 249
–on $La_{1.85}Sr_{0.15}Cu_{1-y}M_yO_4$ 122